TX433-JZ-5 Datasheet v1.0



Chengdu Ebyte Electronic Technology Co.,Ltd.

Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

Picture TX433-JZ-5



Physical parameter TX433-JZ-5

No.	Parameter item	Parameter details & Description
1	Model	TX433-JZ-5
2	Size	Ø 9.0 * 50 mm
3	Average Weight	6 ± 1 g
4	Shape Feature	Straight
5	Color	Black
6	Material	TPEE
7	Connector Type	SMA-J
8	Cable Length	-

Electrical parameter TX433-JZ-5

No.	Parameter item	Parameter details & Description
1	Frequency Range	410 ~ 450 MHz
2	Gain	2.0 dBi
3	SWR	≤ 1.5
4	Power Capacity	10 W
5	Input Impedance	50 Ω
6	Polarization Type	Vertical polarization
7	Radiation Direction	Omnidirectional

Copyright ©2012–2020， Chengdu Ebyte Electronic Technology Co.,Ltd.

Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

Dimension TX433-JZ-5




成都亿佰特 www.cdebyte.com


Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

Test report TX433-JZ-5

【Testing Instrument】： Angilent E5071C

【Test address】： Chengdu Ebyte Electronic Technology Co.,Ltd.





Copyright ©2012–2020， Chengdu Ebyte Electronic Technology Co.,Ltd.

Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

About us

Technical support: support@cdebyte.com
Documents and RF Setting download link: www.cdebyte.com
Thank you for using Ebyte products! Please contact us with any questions or suggestions:
lirong@cdebyte.com

Phone：028-61543675
Web: www.cdebyte.com
Address:Building B5, Mould Industrial Park, 199# Xi-Qu Ave, West High-tech Zone, Chengdu, 611731, Sichuan, China

Chengdu Ebyte Electronic Technology Co.,Ltd.

Copyright ©2012–2020， Chengdu Ebyte Electronic Technology Co.,Ltd.

Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000