TX433-PCB-3207 Product Data Sheet v1.0



Chengdu Ebyte Electronic Technology Co.,Ltd.

Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

Product Introduction TX433-PCB-3207



TX433-PCB-3207 is a 433MHz PCB internal antenna. Size of the antenna is 32*7mm. With a IPX-I interface, it can be applied to such devices with frequency of 433MHz as wireless module, network devices.

Other Parameters TX433-PCB-3207

No.	Parameter item	Parameter details & Description
1	Size	32*7mm
2	Total Weight	1g
3	Material	PCB
4	Feeder Length	90mm
5	Interface	IPX-I
6	Working Temperature	-40℃～+85℃

Physical Parameters TX433-PCB-3207

No.	Parameter item	Parameter details & Description
1	Frequency	433MHz
2	Bandwidth	423-443MHz
3	Gain	2dBi
4	SWR	≤1.5
5	Polarization	Linear
6	Radiation Direction	Omnidirectional
7	Input Impedance	50Ω
8	Power Capacity	2W

Copyright ©2012–2020， Chengdu Ebyte Electronic Technology Co.,Ltd.


Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

Size TX433-PCB-3207



Testing TX433-PCB-3207


1、VSWR



Copyright ©2012–2020， Chengdu Ebyte Electronic Technology Co.,Ltd.

Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

2、Smith



FAQ TX433-PCB-3207

- Antenna frequency shall be matched with that of the wireless devices, or the communication will be affected;
- Diffraction performance will be better with lower communication frequency and longer wave;
- Communication distance will be shorter if there is any straight-line barrier;
- Please be noted of the antenna radiation direction. Incorrect direction by installation will result in short communication distance;
- As radio wave may be absorbed by the ground, result will be affected if tested close to ground. It is suggested to test at a higher place;
- As radio wave can be highly absorbed by the ocean water, result will be affected if tested close to the sea;
- Signal will be seriously weakened if the antenna is put close to metal or inside metal shell;
- Lower impedance matching of antenna and communication devices will result in bad communication.

Chengdu Ebyte Electronic Technology Co., Ltd., a high-tech company focusing on application of Internet of Things, owns a number of independently researched and developed products and obtains unanimous approvals from customers. With a powerful R&D team, perfect after-sales system, our company provides perfect solutions and technical assistance, shortens R&D period, reduces R&D cost and provides a strong platform for brand new ideas about product R&D.

Our products have been widely applied in various fields, such as consumer electronics, industrial control,

Copyright ©2012–2020， Chengdu Ebyte Electronic Technology Co.,Ltd.

LRI Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

healthcare, security alarm, field acquisition, smart home, expressway, property management, water and electricity meter reading, power monitoring, etc.

About us

Technical support: support@cdebyte.com
Documents and RF Setting download link: www.cdebyte.com
Thank you for using Ebyte products! Please contact us with any questions or suggestions: lirong@cdebyte.com
---

Phone：028-61543675
Web: www.cdebyte.com
Address:Building B5, Mould Industrial Park, 199# Xi-Qu Ave, West High-tech Zone, Chengdu, 611731, Sichuan, China

Chengdu Ebyte Electronic Technology Co.,Ltd.

Copyright ©2012–2020， Chengdu Ebyte Electronic Technology Co.,Ltd.

Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000