TX915-FPC-4510 User Manual v1.0



Chengdu Ebyte Electronic Technology Co.,Ltd.

Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

Product



Physical parameter

No.	Parameter item	Parameter details & Description
1	Model	TX915-FPC-4510
2	Size	45mm * 10 mm
3	Average Weight	1g
4	Shape Feature	“1” shape
5	Connector Type	IPEX
6	Cable Length	100 ±2mm
7	Color in plastic	Black
8	Shell Material	FPC

Copyright ©2012–2020, Chengdu Ebyte Electronic Technology Co.,Ltd.

Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

Electrical parameter

No.	The parameter name	Parameter value details
1	Frequency range	868 ~930 MHz
2	The biggest gain	2 dBi
3	Standing wave ratio	≤ 2
4	Power capacity	10 W
5	The input impedance	50 Ω
6	Polarization form	Vertical polarization
7	Radiation direction	Omnidirectional


Size




Copyright ©2012–2020, Chengdu Ebyte Electronic Technology Co.,Ltd.

Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

Angilent E5071C Test Report





Copyright ©2012–2020, Chengdu Ebyte Electronic Technology Co.,Ltd.

Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

About us

Technical support: support@cdebyte.com

Documents and RF Setting download link: www.cdebyte.com

Thank you for using Ebyte products! Please contact us with any questions or suggestions: lirong@cdebyte.com

---

Phone：028-61543675

Web: www.cdebyte.com

Address:Building B5, Mould Industrial Park, 199# Xi-Qu Ave, West High-tech Zone, Chengdu, 611731, Sichuan, China

Chengdu Ebyte Electronic Technology Co.,Ltd.

Copyright ©2012–2020， Chengdu Ebyte Electronic Technology Co.,Ltd.

Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000