4G OMNI OUTDOOR ANTENNA


TECHNICAL DATA SHEET

TX4G-BLG-25L



Chengdu Ebyte Electronic Technology Co.,Ltd.

Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000





TX4G-BLG-25L

NO.	MECHANICAL SPECIFICATIONS	VALUE	COMMENT
01	Part Number	TX4G-BLG-25L	Omni Outdoor Antenna
02	Material	Fiberglass	
03	Material of Radiator	Copper	
04	Connector Type	N-Male	
05	Antenna Colour	Gray	
06	Overall Length	250mm	OD20mm
07	IP Rating	IP 67	
08	Wind Resistance	60m/s	
09	N.W	129g	±5g
10	G.W	165g	±5g
NO.	ELECTRICAL SPECIFICATIONS	VALUE	COMMENT
01	Frequency	4G	690-960；1700-2700MHz
02	Antenna Gain	5.5dBi	
03	Radiation type	Omnidirectional	
04	Polarization	Linear	Vertical
05	Horizontal Beamwidth	360 Deg	
07	Nominal Impedance	50Ω	
08	Max Input Power	50W	
09	S.W.R.	≤2.0	
NO.	ENVIRONMENTAL SPECIFICATIONS	VALUE	COMMENT
01	Operation Temperature	-40℃ ~ +85℃	
02	Storage Temperature	-40℃ ~ +85℃	
03	RoHS Compliant	YES	

Copyright ©2012–2020， Chengdu Ebyte Electronic Technology Co.,Ltd.

LRI Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

MECHANICAL DRAWING




UNIT: mm

ITEM	PART NAME	QUANTITY	MATERIAL / FINISH
a	Connector	1	N-FeMale
b	Body	1	Copper Tube
c	Shell	1	Fiberglass


Copyright ©2012–2020， Chengdu Ebyte Electronic Technology Co.,Ltd.

Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

S.W.R.



SMITH



Copyright ©2012–2020， Chengdu Ebyte Electronic Technology Co.,Ltd.

Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

Disclaimer

EBYTE reserves all rights to this document and the information contained herein. Products, names, logos and designs described herein may in whole or in part be subject to intellectual property rights. Reproduction, use, modification or disclosure to third parties of this document or any part thereof without the express permission of EBYTE is strictly prohibited.

The information contained herein is provided "as is" and EBYTE assumes no liability for the use of the information. No warranty, either express or implied, is given, including but not limited, with respect to the accuracy, correctness, reliability and fitness for a particular purpose of the information. This document may be revised by EBYTE at any time. For most recent documents, visit www.cdebyte.com.

About us

Technical support: support@cdebyte.com
Documents and RF Setting download link: www.cdebyte.com
Thank you for using Ebyte products! Please contact us with any questions or suggestions: lirong@cdebyte.com
---
Phone：028-61543675
Web: www.cdebyte.com
Address:Building B5, Mould Industrial Park, 199# Xi-Qu Ave, West High-tech Zone, Chengdu, 611731, Sichuan, China

Chengdu Ebyte Electronic Technology Co.,Ltd.

Copyright ©2012–2020， Chengdu Ebyte Electronic Technology Co.,Ltd.

Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000